



NEY, ADAMS & SYLVESTER
THE ORPHEUM CENTRE
200 NORTH BROADWAY - SUITE 300
WICHITA, KANSAS 67202

Richard A. Ney
Douglas L. Adams, Jr.
Bradley P. Sylvester

tele: (316) 264-0100
fax: (316) 264-1771

November 7, 2004

Mail Stop Missing Parts - Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Re: Patent Application 10/810,428

Dear Commissioner of Patents:

Please find a new declaration for Mr. Abdullayev. His citizenship is so stated.

The photographs were submitted as a help for the examiner, since they provided better clarity than simple copies would have provided. If these photographs are unacceptable, then you may discard them, since they do not provide the basis for the invention, or the scope of any claims.

Very truly yours,


Bradley P. Sylvester #36,944
200 North Broadway - Suite 300
Wichita, KS 67202



Case Docket No. _____

THE COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the following:


Inventor: Erik Abdullayev et al.

For: IMPROVED METHOD AND APPARATUS OF CORNEA EXAMINATION

Enclosed are:

- a. New Declaration showing citizenship of the 1st inventor
- b. Request for extension of time
- c. Check in the amount of \$490.00

Bradley P. Sylvester (Reg. No. 36,944)
Ney, Adams & Sylvester
200 North Broadway - Suite 300
Wichita, Kansas 67202
Phone No. (316) 264-0100 Fax (316) 264-1771 email sylvester@naslaw.com



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/810,428	03/29/2004	Erkin Abdullayev	

Bradley P. Sylvester
Suite 300
200 North Broadway
Wichita, KS 67202

CONFIRMATION NO. 9780

FORMALITIES LETTER



OC000000012887550

Date Mailed: 06/07/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper, which is flexible, strong, white, smooth, non-shiny, and durable (see 37 CFR 1.84(e)). See Figure(s) 9A,9B,10A,10B,10C.

Items Required To Avoid Processing Delays:

The item(s) indicated below are also required and should be submitted with any reply to this notice to avoid further processing delays.

- A new oath or declaration, identifying this application number is required. The oath or declaration does not comply with 37 CFR 1.63 in that it:
- does not identify the citizenship of each inventor.

Replies should be mailed to: Mail Stop Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*

F.lliwo

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE